

AD-A052 665

TEXAS A AND M UNIV COLLEGE STATION DEPT OF CHEMISTRY
F/6 7/3
SATELLITE STRUCTURES IN THE ESCA SPECTRA OF DIPHthalOCYANINATO---ETC(U)
MAR 78 K TATSUMI, K KASUGA, M TSUTSUI
N00014-75-C-0417

UNCLASSIFIED

TR-21

NL

| OF |

AD
A052665



END
DATE
FILMED
5-78
DDC

AD A 052665

OFFICE OF NAVAL RESEARCH

Contract ¹⁵ N00014-75-C-0417

Task No. NR 053-559

Technical Report No. 21

12

⁶ Satellite Structures in the ESCA Spectra of Diphthalocyaninato-Lanthanides(III) and -Actinides(IV).

by

¹⁰ K. /Tatsumi, K. /Kasuga ~~and~~ M. /Tsutsui

Prepared for Publication

in the

Journal of American Chemical Society

Texas A&M University
Department of Chemistry
College Station, Texas 77843

March 15, 1978

⁹ Technical rept.

¹¹ 15 Mar 78

¹² 11P.

¹⁴ TR-21

Reproduction in whole or in part is permitted for
any purpose of the United States Government

Approved for Public Release; Distribution Unlimited.

DDC
RECEIVED
MAR 30 1978
D

407 997

JOB

AD No. 1
DDC FILE COPY

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Technical Report No. 21	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Satellite Structures in the ESCA Spectra of Diphthalocyaninato-Lanthanides(III) and -Actinides(IV)		5. TYPE OF REPORT & PERIOD COVERED Interim
7. AUTHOR(s) K. Tatsumi, K. Kasuga and M. Tsutsui*		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry Texas A&M University College Station, Texas 77843		8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-0417
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Department of the Navy Arlington, Virginia 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 053-559
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE March 15, 1978
		13. NUMBER OF PAGES 8
		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release, Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Prepared for publication in the Journal of the American Chemical Society		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Phthalocyaninato-Lanthanides Phthalocyanato-Actinides ESCA spectra Satellite Structures		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Satellite structures of Ln 3d _{5/2} and An 4d _{5/2} photoelectron lines have been investigated for a number of diphthalocyaninato-lanthanide(III) and -actinide (IV) complexes. Ligand → f shake-up satellites were not observed in Pr, Nd, and Gd complexes, while La, Ce, Th and U complexes showed strong shake-up peaks. A new interpretation is put forward to explain the sharp variation in intensity observed throughout the lanthanide and actinide series.		

Satellite Structures in the ECSA Spectra of Diphthalocyaninato-Lan-
thanides(III) and -Actinides(IV)

K. Tatsumi, K. Kasuga and M. Tsutsui*

Department of Chemistry
Texas A&M University
College Station, Texas 77843

Abstract: Satellite structures of Ln $3d_{5/2}$ and An $4d_{5/2}$ photoelectron lines have been investigated for a number of diphthalocyaninato-lanthanide(III) and -actinide(IV) complexes. Ligand \rightarrow f shake-up satellites were not observed in Pr, Nd, and Gd complexes, while La, Ce, Th, and U complexes showed strong shake-up peaks. A new interpretation is put forward to explain the sharp variation in intensity observed throughout the lanthanide and actinide series.

ACCESSION for	
DTL	White Section <input checked="" type="checkbox"/>
DDC	Ref Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION.....	
BY.....	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. SUB/IN SPECIAL
A	

DDC
RECEIVED
MAR 30 1978
RECEIVED
D

Satellite Structures in the ESCA Spectra of Diphthalocyaninato-Lanthanides(III) and -Actinides(IV)

Sir: Recently, X-ray photoelectron spectroscopy (ESCA) has been successfully applied to the study on the electronic structure of f-transition metal complexes.^{1,2} Special attention has been directed towards the satellites observed in the Ln 3d and An 4f photoelectron lines, since they are a potential source of information on the nature of bonding.³⁻¹⁰ Some attempts have been made to understand these particular satellites, though most of the suggested mechanisms are unsatisfactory by themselves to explain the sharp variation in intensity throughout the Ln and An series. Coherent explanation for the satellite origin is now essential to the proper understanding of the electronic structure of f-elements. In view of the interest in satellite structure, we have investigated ESCA spectra of a series of diphthalocyaninato-lanthanides (H[LnPc₂] (Ln=La, Ce, Pr, Nd, and Gd) and -actinides AnPc₂ (An=Th and U). In particular, the satellites accompanying lanthanide 3d_{5/2} and actinide 4d_{5/2} signals have been examined.

We wish to report here findings of our satellite measurements and a new approach to interpret the satellite structure. This approach is based on a hypothesis that half-occupied f orbitals play an important role in the striking change of the satellite intensity throughout the f-transition metal series.

All spectra reported here were measured on a Hewlett-Packard 5950A^o ESCA spectrometer using monochromatized Al K_α radiation. The charging effects were neutralized by an electron flood gun. Each of the samples was internally calibrated to the intense C 1s photopeak observed in the lowest energy side.¹¹ The binding energy of the standard peak is assumed

to be 284.8 eV.

Figure 1 shows the observed lanthanide $3d_{5/2}$ and actinide $4d_{5/2}$ spectra of the diphthalocyaninato complexes. Each of the spectra reveals additional structure adjacent to the normal $3d_{5/2}$ or $4d_{5/2}$ signal. The binding energies of the main $3d_{5/2}$ and $4d_{5/2}$ peaks (E) and their satellites (ΔE) are given in Table 1, as well as the intensity ratio (R) of the satellite to the main line. (Figure 1) (Table I)

The intense satellites at ≈ 4 eV from each of a principal $3d_{5/2}$ levels in La(III) and Ce(III) complexes are favorably assigned to charge-transfer shake-up from ligand to empty 4f orbital(s) ($L \rightarrow 4f$).³ We observed a similar satellite in *both* Th and U $4d_{5/2}$ photopeaks of ThPc₂ and UPc₂ respectively, in opposition to the common belief that the 4d level in Th(IV) compounds is satellite-free.¹³ The evidence appears to provide valuable aids for the discussion of satellite origins and electronic structures of f-elements. The $3d_{5/2}$ signal of H[PrPc₂] also show a satellite to higher binding energy side. The satellite, however, is not attributable to the $L \rightarrow 4f$ transition due to its small energy-separation $\Delta E = 1.7$ eV. Moreover, the $L \rightarrow 4f$ transition fails to explain the presence of shoulders to lower binding energy in Pr and Nd $3d_{5/2}$ signals. These satellites¹⁴ may be either a feature of multiple splitting caused by 4f unpaired electrons or strong Auger lines of the MV-N67-N67 type.¹⁵ The weak satellite at 9.2 eV from the principal line in the Gd(III) ($4f^7$) complex might again provide an argument in favor of a $L \rightarrow 4f$ (half-occupied in this case) charge-transfer mechanism.¹⁶ However, the relatively large energy-separation ($\Delta E = 9.2$ eV) makes rather questionable the application of the $L \rightarrow 4f$ mechanism. In general, half occupied 4f levels are lower

in energy than unoccupied 4f levels, and $L \rightarrow 4f$ transition energy of the Gd(III) complex, even if the transition occurs, must be smaller than that of the La or Ce analogue. We might ascribe the satellite in the Gd $3d_{5/2}$ line to another type of transition such as an intraatomic or $4f \rightarrow L$ shake-up process.

A puzzling question now arises as to the $L \rightarrow f$ charge-transfer mechanism responsible for the satellites of lanthanide and actinide complexes. The $L \rightarrow 4f$ shake-up satellite was not observed in Pr(III) (f^2) and Nd(III) (f^3) complexes which have sufficient vacant f orbitals to receive electrons from ligands, whereas La(III) (f^0) and Ce(III) (f^1) complexes reveal strong satellites. In actinide, on the other hand, both Th(IV) (f^0) and U(IV) (f^2) complexes have a propensity to show the satellites.

It is tempting to relate the shake-up intensity to covalency of the M-L bonding, i.e., the more covalent the bonding, the more intense the satellite.⁵ However, the satellite of $H[LnPc_2]$ is much more intense than that of $ThPc_2$, though the latter complex must have more covalent character in M-L bonding than the former. Magnetism of the compounds also cannot interpret this puzzling question.

Let us now point out that adiabatic relaxation upon the core-hole creation is a crucial factor governing the satellite intensity observed.^{17,18} Recent MS X_α calculations of LaF_3 and CeF_3 found a large influx of electrons from the ligands to the 4f shell during core ionization.¹⁹ In the ground state of the lanthanide complexes $H[LnPc_2]$, an occupied molecular orbital (ϕ_L), which is localized on the ligands, is expected to have only small amount of metal 4f admixture. The antibonding counterpart (ϕ_M^*) of the occupied orbital is then essentially 4f orbital. Due to the electron

flow upon core-ionization, the antibonding counterpart should gain ligand character in core-ionized state ($\phi_M^*(i)$). The strong satellite of the La complex can be explained by the large overlap between these MOs, $\langle \phi_L | \phi_M^*(i) \rangle$ under the sudden approximation. The presence of half occupied 4f orbital(s) appears to cause a decrease in shake-up intensity of H[CePc₂] and a vanishing of the shake-up of H[PrPc₂] and H[NdPc₂]. This is likely because the half occupied 4f orbital(s) can receive electrons, instead of vacant 4f orbitals, from ligand orbitals upon core-ionization. The reduced electron flow to the half-filled 4f level results in considerable diminution of ligand character in ϕ_M^* orbital and consequently a much smaller overlap $\langle \phi_L | \phi_M^*(i) \rangle$. In the actinide complexes [AnPc₂], ϕ_L orbital must have some 5f admixture even in their ground states. Thus, the electron flow from ligands to 5f levels is not as significant as it is in the lanthanide case. In such a situation, we cannot anticipate either the large overlap $\langle \phi_L | \phi_M^*(i) \rangle$, i.e., strong satellite, or the significant role of half-occupied 5f orbital(s) to reduce shake-up intensity. Detailed description of the interpretation will be given in a forthcoming paper.²⁰

Acknowledgement: We wish to thank the Robert A. Welch Foundation (Grant No. A420) and the Office of Naval Research for financial support; and to Dr. M. B. Hall for stimulating and informative discussions.

K. Tatsumi²¹, K. Kasuga, and M. Tsutsui*

Department of Chemistry
Texas A&M University
College Station, Texas 77843

References and Notes

1. C. K. Jørgensen, *Structure and Bonding*, 13, 199 (1973).
2. J. J. Pireaux, N. Mårtensson, R. Didriksson, K. Siegbahn, J. Riga, and J. Verbist, *Chem. Phys. Lett.*, 46, 215 (1977); and references therein.
3. G. K. Wertheim, R. L. Cohen, A. Rosencwaig, and H. J. Guggenheim, in "Electron Spectroscopy", edited by D. A. Shirley (North-Holland Amsterdam, 1972).
4. C. K. Jørgensen and H. Berthou, *Chem. Phys. Lett.*, 13, 186 (1972).
5. H. Berthou, C. K. Jørgensen, and C. Bonnelle, *Chem. Phys. Lett.*, 38, 199 (1976).
6. A. J. Signorelli and R. G. Hayes, *Rhys. Rev.*, B8, 81 (1973).
7. D. Chadwick, *Chem. Phys. Lett.*, 21, 291 (1973).
8. C. Miyake, H. Sakurai, and S. Imoto, *Chem. Phys. Lett.*, 36, 158 (1975).
9. R. Dubois, J. C. Carver, and M. Tsutsui, *J. Coord. Chem.*, 6, 123 (1976).
10. J. J. Pireaux, J. Riga, E. Thibaut, C. Tenret-Noel, R. Caudano, and J. J. Verbist, *Chem. Phys.*, in press.
11. The peak has been assigned to the carbon atoms of having aromatic hydrocarbon character in the phthalocyanine ring.
12. The satellite of U $4d_{5/2}$ is so broad that for the moment accurate analysis of ΔE and R values cannot be given. The satellite may involve several shake-up transitions.
13. G. C. Allen and P. M. Tucker, *Chem. Phys. Lett.*, 43, 254 (1976).
14. The appearance of these satellites cannot be ascribed to the charging effect, because the satellite structure was not affected by the changes in voltage and emission current of the electron flood gun.
15. W. A. Coghland and R. E. Clausing, *Atomic Data*, 5, 317 (1973).
16. R. Dubois, J. C. Carver, and M. Tsutsui, *J. Coord. Chem.*, 7, 31 (1977).
17. T. Robert and G. Offergeld, *Chem. Phys. Lett.*, 29, 606 (1974).
18. S. Larsson, *Chem. Phys. Lett.*, 32, 401 (1975).
19. J. Weber, H. Berthou, and C. K. Jørgensen, *Chem. Phys. Lett.*, 45, 1 (1977).
20. K. Tatsumi and M. Tsutsui, to be published.
21. Robert A. Welch Postdoctoral Fellow, Texas A&M University, 1977- .



Table I. Binding Energies (E) of Ln 3d_{5/2} and An 4d_{5/2} of Mphthalocyanine Complexes, and their Satellite Energies (ΔE) measured from the Parent Peaks (eV).

Compound	Binding Energy (E)	Satellite Energy (ΔE)		
		A	B	C
	3d _{5/2}			
H[LaPc ₂]	834.5	-----	3.9(1.00)*	-----
H[CePc ₂]	883.6	-----	4.2(0.46)	-----
H[PrPc ₂]	933.5	-4.2(0.46) 1.7(0.68)	-----	-----
H[NdPc ₂]	982.4	-3.7(0.34)	-----	-----
H[GdPc ₂]	1186.7	-----	-----	9.2(0.15)
	4d _{5/2}			
ThPc ₂	675.8	-----	4.6(0.30)	-----
UPc ₂	739.5	-----	≈4.9(-0.52)	-----

* Values in parentheses are satellite-to-main signal intensity ratios (R).

Figure Caption

Figure 1. Photoelectron spectra of the $\text{Ln}3d_{5/2}$ and $\text{An}4d_{5/2}$ levels of $\text{H}[\text{LnPc}_2]$ ($\text{Ln} = \text{La}, \text{Ce}, \text{Pr}, \text{and Nd}$) and AnPc_2 ($\text{An} = \text{Th and U}$). Deconvolution of the satellite structure is given by the dotted lines.



APPENDIX

TECHNICAL REPORT DISTRIBUTION LIST

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Arlington, Virginia 22217 Attn: Code 472	2	Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314	12
Office of Naval Research Arlington, Virginia 22217 Attn: Code 102IP 1	6	U.S. Army Research Office P.O. Box 12211 Research Triangle Park, N.C. 27709 Attn: CRD-AA-IP	1
ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. Jerry Smith	1	Naval Ocean Systems Center San Diego, California 92152 Attn: Mr. Joe McCartney	1
ONR Branch Office 715 Broadway New York, New York 10003 Attn: Scientific Dept.	1	Naval Weapons Center China Lake, California 93555 Attn: Head, Chemistry Division	1
ONR Branch Office 1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus	1	Naval Civil Engineering Laboratory Port Hueneme, California 93041 Attn: Mr. W. S. Haynes	1
ONR Branch Office 760 Market St., Rm. 447 San Francisco, Calif. 94102 Attn: Dr. P. A. Miller	1	Professor O. Heinz Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
ONR Branch Office 495 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
Director Naval Research Laboratory Washington, D.C. 20390 Attn: Code 6100	1	Office of Naval Research Arlington, Virginia 22217 Attn: Dr. Richard S. Miller	1
The Asst. Secretary of the Navy (R&D) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1	Dr. R. M. Grimes University of Virginia Department of Chemistry Charlottesville, Virginia 22901	1
Commander Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser)	1	Dr. M. Tsutsui Texas A&M University Department of Chemistry College Station, Texas 77843	1
		Dr. C. Quicksall Georgetown University Department of Chemistry 37th & O Streets Washington, D.C. 20007	1

TECHNICAL REPORT DISTRIBUTION LIST

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. D. B. Brown University of Vermont Department of Chemistry Burlington, Vermont 05401	1	Dr. J. Zuckerman University of Oklahoma Department of Chemistry Norman, Oklahoma 73019	1
Dr. W. B. Fox Naval Research Laboratory Chemistry Division Code 6130 Washington, D.C. 20375	1	Dr. G. Geoffrey Pennsylvania State University Department of Chemistry University Park, Pennsylvania 16802	1
Dr. J. Adcock University of Tennessee Department of Chemistry Knoxville, Tennessee 37916	1		
Dr. A. Cowley University of Texas Department of Chemistry Austin, Texas 78712	1		
Dr. W. Hatfield University of North Carolina Department of Chemistry Chapel Hill, North Carolina 27514	1		
Dr. D. Seyferth Massachusetts Institute of Technology Department of Chemistry Cambridge, Massachusetts 02139	1		
Dr. M. H. Chisholm Princeton University Department of Chemistry Princeton, New Jersey 08540	1		
Dr. B. Foxman Brandeis University Department of Chemistry Waltham, Massachusetts 02154	1		
Dr. T. Marks Northwestern University Department of Chemistry Evanston, Illinois 60201	1		